

TECNI^Qline

STAMPI PER MATERIE PLASTICHE LAVORAZIONI MECCANICHE
MOLDS FOR PLASTIC MATERIALS MECHANICAL MACHINING OPERATIONS



TECNOLINE

La ditta TECNOLINE di Baccegà Livio nasce nel 1987. L'obiettivo primario è stato quello di acquisire una maturità nelle lavorazioni meccaniche di precisione e successivamente tutta l'esperienza acquisita è stata applicata nella costruzione di stampi e attrezzature in genere.

L'attuale organico di 11 persone è così distribuito:
n° 02 in ufficio tecnico
n° 09 in officina (nr. 05 fresatori – nr. 04 aggiustatori dei quali nr. 02 con capacità di fresatore).

The company TECNOLINE with headquarters in Baccegà Livio was founded in 1987. Its main objective was to become skilled in precision mechanical machining operations and all the experience acquired was then applied to the construction of molds and equipment in general.

Currently, it has eleven members of staff: two in the technical department, nine in the workshop (five milling machine operators and four fitters, two of whom are also qualified milling machine operators).

TECNOLOGIA E DESIGN PER UN SERVIZIO DI QUALITÀ

TECHNOLOGY
AND DESIGN
FOR SUPERIOR
QUALITY SERVICE



AEG ELTHERM ELBOMAT M2

Elettroerosione a tuffo
Corse 640 x 420 x 420 X, Y, Z (mm)

*Plunge spark erosion machine
Travels 640 x 420 x 420 X, Y, Z (mm)*



HERMLE C800V

Centro di lavoro verticale - 16000 giri/min.
Corse X 800 Y 600 Z 500 (mm)

*Vertical machining center – 1600 rpm
Travels X 800 Y 600 Z 500 (mm)*



HERMLE C1200V

Centro di lavoro verticale - 16000 giri/min.
Corse X 1200 Y 900 Z 500 (mm)

*Vertical machining center – 1600 rpm
Travels X1200 Y 900 Z 500 (mm)*



FAMU PHS916P

Centro di lavoro 5 assi posizionati - 20000 giri/min.
Corse 1600x1200x500 X, Y, Z (mm)

*5-axis machining center – 20000 rpm
Travels 1600x1200x500 X, Y, Z (mm)*



FAMU PHS916P

Centro di lavoro 5 assi posizionati - 20000 giri/min.
Corse 1600x1200x500 X, Y, Z (mm)

*5-axis machining center – 20000 rpm
Travels 1600x1200x500 X, Y, Z (mm)*



FPT LEM 4

Centro di lavoro verticale - 2000 giri/min.
Corse 2000x900x800 X, Y, Z (mm)

*Vertical machining center – 2000 rpm.
Travels 2000x900x800 X, Y, Z (mm)*



JOEMARS EDM

Microforatrice
Corse 350x250x200 X, Y, Z (mm)

*Drilling machine
Travels 2000x900x800 X, Y, Z (mm)*



FAMU ACTIVEP

Centro di lavoro 5 assi posizionati - 22000 giri/min.
Corse 2000x1300x680 X, Y, Z (mm)

*5-axis machining center – 22000 rpm
Travels 2000x1300x680 X, Y, Z (mm)*



FUMAGALLI

Rettifica tangenziale
900 x 650 (mm)

*Tangential grinding machine
900x650 (mm)*



MAHO MH800 E2

Centro di lavoro verticale - 5000 giri/min.
Corse 800x550x500 X, Y, Z (mm)

*Vertical machining center – 5000 rpm.
Travels 800x550x500 X, Y, Z (mm)*



FANUC ROBOCUT α-1 i a

Erosione a filo
Corse X 520 Y 370 Z 400 (mm)

*Wire EDM
Travels X 520 Y 370 Z 400 (mm)*

